

#### The State of New Hampshire Department of Environmental Services



#### AGGREGATED PRECIPITATION DATA for N.H. DROUGHT MANAGEMENT AREAS

		Deviation								
	Actual	Normal	from	Percent						
	Rainfall	Rainfall	Normal	of						
	(inches)	(inches)	(inches)	Normal						
Coastal Drainage: Rockingham, Strafford counties										
four month	18.30	12.88	5.42	142%						
six month	24.14	19.32	4.82	125%						
nine month	52.09	28.98	23.11	180%						
twelve month	59.22	38.48	20.74	154%						
Southern Interior: Belknap, Hillsborough, Merrimack counties										
four month	17.88	12.91	4.97	139%						
six month	23.66	19.36	4.30	122%						
nine month	48.33	29.04	19.29	166%						
twelve month	54.72	38.64	16.08	142%						
South Western: Che	shire, Sullivan cou	inties								
four month	16.39	12.80	3.59	128%						
six month	22.51	19.20	3.31	117%						
nine month	41.05	28.80	12.25	143%						
twelve month	46.64	38.44	8.20	121%						
White Mountain: Carroll, Grafton counties										
four month	18.07	11.84	6.23	153%						
six month	24.11	17.76	6.35	136%						
nine month	45.63	26.64	18.99	171%						
twelve month	51.81	35.58	16.23	146%						
North Country: Coos	county									
four month	18.18	10.88	7.30	167%						
six month	27.82	16.32	11.50	170%						
nine month	46.68	24.48	22.20	191%						
twelve month	53.31	32.76	20.55	163%						

four month period : October 2006 - January 2007 six month period : August 2006 - January 2007 nine month period : May 2006 - January 2007 twelve month period: February 2006 - January 2007


Source: Northeast River Forecast Center, NH Des Dam Bureau

P.O. Box 95, 29 Hazen Drive, Concord, New Hampshire 03302-0095

Telephone: (603) 271-3503 • Fax: (603) 271-7894 • TDD Access: Relay NH 1-800-735-2964

DES Web site: www.des.nh.gov

# TWELVE MONTH AGGREGATED PRECIPITATION DATA for N.H. DROUGHT MANAGEMENT AREAS from February 2006 through January 2007





#### MONTHLY PRECIPITATION DATA FOR N.H COUNTIES


Consist dictainage   Consist				Environmental Services										
STRAFFORD			2006	***************************************										2007
STRAFFORD   Common   2.93   1.25   3.34   12.79   8.67   5.86   3.03   2.52   6.27   5.53   3.60   3.   3.0   3.			FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC	JAN
ROCKINGHAM   Continue   Continu	Coastal drainage													
ROCKINGHAM   Actual   2.56   0.91   3.27   14.20   9.25   5.13   3.52   2.61   6.44   5.96   2.84   2.94   2.91   2.92   2.92   3.32	STRAFFORD	actual	2.93	1.25	3.34	12.79	8.67	5.86	3.03	2.52	6.27	5.53	3.60	3.02
ROCKINGHAM   actual   2.56   0.91   3.27   14.20   9.25   5.13   3.52   2.61   6.44   5.96   2.84   2.84   2.85   0.071   0.		normal	2.72	3.20	3.40	3.12	3.12	3.12	3.12	3.12	3.12	3.12	3.12	3.12
American   American		deviation	0.21	-1.95	-0.06	9.67	5.55	2.74	-0.09	-0.60	3.15	2.41	0.48	-0.10
Average	ROCKINGHAM	actual	2.56	0.91	3.27	14.20	9.25	5.13	3.52	2.61	6.44	5.96	2.84	2.94
Average		normal	2.84	3.40	3.44	3.32	3.32	3.32	3.32	3.32	3.32	3.32	3.32	3.32
Normal   1,78   3,30   3,42   3,22		deviation	-0.28	-2.49	-0.17	10.88	5.93	1.81	0.20	-0.71	3.12	2.64	-0.48	-0.38
Southern Interior   Southern Interior   Southern Interior   HILLSBOROUGH   actual   2.58   0.99   2.66   10.93   9.82   3.98   3.99   3.98   3.98   3.98   3.98   3.98   3.98   3.98   3.98   3.99   3.98	Average	actual	2.75	1.08	3.31	13.50	8.96	5.50	3.28	2.57	6.36	5.75	3.22	2.98
South Mester   Hills BOROUGH   actual   2.58   0.99   2.66   10.93   9.82   3.98   4.59   2.05   6.87   5.35   2.59   3.0   3.0   3.6		normal	2.78	3.30	3.42	3.22	3.22	3.22	3.22	3.22	3.22	3.22	3.22	3.22
HILLSBOROUGH actual 3.16 3.88 3.56 3.60 3.60 3.60 3.60 3.60 3.60 3.60 3.6		deviation	-0.04	-2.22	-0.12	10.28	5.74	2.28	0.06	-0.66	3.14	2.53	0.00	-0.24
Normal   3.16   3.88   3.56   3.60	Southern Interior													
MERRIMACK   Actual   2.55   1.48   2.95   1.172   9.62   5.19   3.70   2.34   7.76   4.94   3.79   2.95   1.95	HILLSBOROUGH	l actual	2.58	0.99	2.66	10.93	9.82	3.98	4.59	2.05	6.87	5.35	2.59	3.08
MERRIMACK		normal	3.16	3.88	3.56	3.60	3.60	3.60	3.60	3.60	3.60	3.60	3.60	3.60
Name		deviation	-0.58	-2.89	-0.90	7.33	6.22	0.38	0.99	-1.55	3.27	1.75	-1.01	-0.52
BELKNAP   Actual   2.12   1.19   2.66   8.95   8.02   5.79   2.81   1.84   6.59   4.54   3.26   2.92   2.	MERRIMACK	actual	2.55	1.48	2.95	11.72	9.62	5.19	3.70	2.34	7.76	4.84	3.79	2.93
BELKNAP    actual   2.12   1.19   2.66   8.95   8.02   5.79   2.81   1.84   6.59   4.54   3.26   2   2   2   2   2   2   2   2   2		normal	2.84	3.40	3.36	3.16	3.16	3.16	3.16	3.16	3.16	3.16	3.16	3.16
Normal		deviation	-0.29	-1.92	-0.41	8.56	6.46	2.03	0.54	-0.82	4.60	1.68	0.63	-0.23
Average	BELKNAP	actual	2.12	1.19	2.66	8.95	8.02	5.79	2.81	1.84	6.59	4.54	3.26	2.04
Average actual 2.42 1.22 2.76 10.53 9.15 4.99 3.70 2.08 7.07 4.91 3.21 2 2 normal 2.81 3.40 3.39 3.23 3.23 3.23 3.23 3.23 3.23 3.23		normal	2.44	2.92	3.24	2.92	2.92	2.92	2.92	2.92	2.92	2.92	2.92	2.92
Normal   2.81   3.40   3.39   3.23   3.28		deviation	-0.32	-1.73	-0.58	6.03	5.10	2.87	-0.11	-1.08	3.67	1.62	0.34	-0.88
South Western   CHESHIRE   Actual   1.55   1.13   2.28   5.32   7.22   3.04   3.94   1.81   6.02   3.91   2.39   2.39   2.30	Average	actual	2.42	1.22	2.76	10.53	9.15	4.99	3.70	2.08	7.07	4.91	3.21	2.68
South Western   CHESHIRE   CHES		normal	2.81	3.40	3.39	3.23	3.23	3.23	3.23	3.23	3.23	3.23	3.23	3.23
CHESHIRE normal         actual normal properties of the properties of		deviation	-0.40	-2.18	-0.63	7.31	5.93	1.76	0.47	-1.15	3.85	1.68	-0.01	-0.54
Normal   2.80   3.48   3.40   3.28	South Western													
SULLIVAN   actual   2.01   1.35   2.85   7.26   9.05   5.19   4.09   2.41   6.99   4.44   2.87   3.	CHESHIRE	actual	1.55	1.13	2.28		7.22	3.04	3.94	1.81	6.02	3.91	2.39	2.91
SULLIVAN         actual normal         2.01         1.35         2.85         7.26         9.05         5.19         4.09         2.41         6.99         4.44         2.87         3. normal         2.80         3.36         3.44         3.12         3.1		normal		3.48	3.40		3.28	3.28	3.28	3.28	3.28		3.28	3.28
Normal		deviation	-1.25	-2.35	-1.12	2.04	3.94	-0.24	0.66	-1.47	2.74	0.63	-0.89	-0.37
Average	SULLIVAN	actual	2.01		2.85		9.05		4.09		6.99		2.87	3.24
Average actual 1.78 1.24 2.57 6.29 8.14 4.12 4.02 2.11 6.51 4.18 2.63 3.   normal 2.80 3.42 3.42 3.20 3.20 3.20 3.20 3.20 3.20 3.20 3.2		normal	2.80		3.44		3.12		3.12		3.12		3.12	3.12
North Country   COOS   actual   1.86   1.75   3.02   3.120   3.20		deviation	-0.79	-2.01	-0.59	4.14	5.93	2.07	0.97			1.32	-0.25	0.12
Myhite Mountain         Actual         1.70         1.53         2.81         6.87         7.90         5.76         3.97         2.68         7.39         3.81         3.68         2.81           GRAFTON         actual         1.70         1.53         2.81         6.87         7.90         5.76         3.97         2.68         7.39         3.81         3.68         2.81           normal         2.60         3.04         3.24         2.92 <td>Average</td> <td>actual</td> <td></td> <td></td> <td>2.57</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>3.08</td>	Average	actual			2.57									3.08
White Mountain           GRAFTON         actual         1.70         1.53         2.81         6.87         7.90         5.76         3.97         2.68         7.39         3.81         3.68         2.           normal         2.60         3.04         3.24         2.92 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>3.20</td></td<>														3.20
GRAFTON         actual normal         1.70         1.53         2.81         6.87         7.90         5.76         3.97         2.68         7.39         3.81         3.68         2.           normal         2.60         3.04         3.24         2.92         2.93		deviation	-1.02	-2.18	-0.86	3.09	4.94	0.92	0.82	-1.09	3.31	0.98	-0.57	-0.13
Normal	White Mountain													
CARROLL         deviation         -0.90         -1.51         -0.43         3.95         4.98         2.84         1.05         -0.24         4.47         0.89         0.76         -0           CARROLL         actual         2.19         1.30         2.84         8.22         7.95         6.33         2.98         2.45         8.02         5.08         3.30         2.00           normal         2.60         3.08         3.32         3.00	GRAFTON	actual	1.70											2.55
CARROLL       actual       2.19       1.30       2.84       8.22       7.95       6.33       2.98       2.45       8.02       5.08       3.30       2.         normal       2.60       3.08       3.32       3.00		normal	2.60		3.24		2.92		2.92		2.92		2.92	2.92
normal         2.60         3.08         3.32         3.00         <		deviation	-0.90	-1.51	-0.43	3.95	4.98		1.05	-0.24	4.47	0.89	0.76	-0.37
Average         deviation         -0.41         -1.78         -0.48         5.22         4.95         3.33         -0.02         -0.55         5.02         2.08         0.30         -0           Average         actual         1.95         1.42         2.83         7.55         7.93         6.05         3.48         2.57         7.71         4.45         3.49         2.0           normal         2.60         3.06         3.28         2.96	CARROLL	actual	2.19		2.84		7.95		2.98		8.02		3.30	2.31
Average actual 1.95 1.42 2.83 7.55 7.93 6.05 3.48 2.57 7.71 4.45 3.49 2. normal 2.60 3.06 3.28 2.96 2.96 2.96 2.96 2.96 2.96 2.96 2.96		normal	2.60	3.08	3.32		3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00
normal deviation         2.60         3.06         3.28         2.96		deviation	-0.41	-1.78	-0.48		4.95	3.33	-0.02		5.02	2.08	0.30	-0.69
North Country         COOS         actual normal         1.86         1.75         3.02         6.10         7.96         4.80         7.47         2.17         7.85         3.23         3.93         3.93	Average	actual												2.43
North Country  COOS actual 1.86 1.75 3.02 6.10 7.96 4.80 7.47 2.17 7.85 3.23 3.93 3.  normal 2.48 2.76 3.04 2.72 2.72 2.72 2.72 2.72 2.72 2.72 2.7														2.96
COOS         actual normal         1.86         1.75         3.02         6.10         7.96         4.80         7.47         2.17         7.85         3.23         3.93         3.93           2.48         2.76         3.04         2.72		deviation	-0.66	-1.65	-0.46	4.59	4.97	3.09	0.52	-0.40	4.75	1.49	0.53	-0.53
normal 2.48 2.76 3.04 2.72 2.72 2.72 2.72 2.72 2.72 2.72 2.7	North Country													
	coos													3.17
deviation -0.62 -1.01 -0.02 3.38 5.24 2.08 4.75 -0.55 5.13 0.51 1.21 0.		normal	2.48	2.76	3.04	2.72	2.72	2.72	2.72	2.72	2.72	2.72	2.72	2.72
0.01 1.01 0.02 0.00 0.27 2.00 THO 0.00 0.10 0.01 1.21 0		deviation	-0.62	-1.01	-0.02	3.38	5.24	2.08	4.75	-0.55	5.13	0.51	1.21	0.45

Source: Northeast River Forecast Center, NH DES Dam Bureau

### LAMPREY RIVER near NEWMARKET NH Gage# 01073500



MONTHLY MEAN FLOW COMPARED TO MEAN OF MONTHLY FLOWS




NH DES, Dam Bureau, Source: USGS

Start of record 1934

### SOUHEGAN RIVER at MERRIMACK NH Gage# 01094000



MONTHLY MEAN FLOW COMPARED TO MEAN OF MONTHLY FLOWS




NH DES, Dam Bureau, Source: USGS

Start of record 1909

## SOUCOOK RIVER at PEMBROKE ROAD near CONCORD NH, Gage# 01089100




MONTHLY MEAN FLOW COMPARED TO MEAN OF MONTHLY FLOWS



### ASHUELOT RIVER at HINSDALE NH Gage# 01161000




MONTHLY MEAN FLOW COMPARED TO MEAN OF MONTHLY FLOWS



#### PEMIGEWASSET RIVER at PLYMOUTH NH Gage# 01076500



MONTHLY MEAN FLOW COMPARED TO MEAN OF MONTHLY FLOWS




NH DES, Dam Bureau, Source: USGS

#### AMMONOOSUC RIVER at BETHLEHEM JUNCTION NH Gage# 01137500



MONTHLY MEAN FLOW COMPARED TO MEAN OF MONTHLY FLOWS

This station replaces gage# 01137000 which was discontinued by DES at the end of Sept 2004



NH DES, Dam Bureau, Source: USGS


Start of record 1939


#### **New Hampshire Groundwater Levels for January 2007**




	START OF	WATER LEVEL BELOW	NET CHANGE	NET CHANGE			DEPARTURE FROM	PERCENT OF	
<u>WELL</u>	RECORD	SURFACE DATUM (ft)	IN ONE MONTH (ft)	IN ONE YEAR (ft)	MEDIAN	RANGE (ft)	MONTHLY MEDIAN (FT)	<u>RANGE</u>	<u>STATUS</u>
ALBANY 14	1995	5.83	-0.02	-1.49	6.23	2	0.4	20	NORMAL
ALBANY 15	1995	7.94	-1.11	-2.06	8.16	2.36	0.22	9.3	NORMAL
BARNSTEAD 10	1995	2.68	0.07	-0.32	2.66	0.52	-0.02	-3.8	NORMAL
CAMPTON 34	1988	12.40	0.03	-1.38	12.4	1.48	0	0	NORMAL
COLEBROOK 73	1995	6.59	0.91	0.54	6.97	3.15	0.38	12.1	NORMAL
CONCORD 2	1963	35.39	-0.05	2.57	41.6	4.2	6.21	147.9	ABOVE NORMAL
CONCORD 4	1966	15.91	0.05	-1.17	18.04	3.3	2.13	64.5	ABOVE NORMAL
DEERFIELD 46	1984	37.87	0.12	-0.3	38.94	1.37	1.07	78.1	ABOVE NORMAL
ENFIELD 30	1990	2.77	-0.43	-0.97	6.43	4.63	3,66	79	ABOVE NORMAL
ERROL 1	1966	14.1		-1.2	13.1	1.7	-1	-58.8	BELOW NORMAL
FRANKLIN 1	1966	9.35	0.28	-1.39	13.3	5.34	3.95	74	ABOVE NORMAL
GREENFIELD 75	1995	60.30	-0.02	-1.08	62.59	3.37	2.29	68	ABOVE NORMAL
HOOKSETT 5	1965	47.52	-0.05	-1.16	47.86	4.13	0.34	8.2	NORMAL
KEENE 2	1963	3.57	-1.22		3.5	1.43	-0.07	-4.9	NORMAL
LANCASTER 1	1966	1.70	0.1	-0.3	1.51	0.51	-0.19	-37.3	NORMAL
LEE 1	1953	30.48	0.09	-0.43	31.15	1.81	0.67	37	ABOVE NORMAL
LISBON 19	1990	12.65	1.04	-0.66	12.3	2.39	-0.35	-14.6	NORMAL
NASHUA 218	1964	26.79	0.29	-0.48	28.27	1.96	1.48	75.5	ABOVE NORMAL
NEW DURHAM 53	1986	18.76	0.15	-0.35	18.99	0.58	0,23	39.7	NORMAL
NEW LONDON 1	1947	7.76	0.07	-3.52	8.98	4.88	1.22	25	NORMAL
NEWPORT 3	1995	5.48	0.09	-1.8	5.4	1.88	-0.08	-4.3	NORMAL
NEWPORT 6	1995	5.59	0.09	-1.85	5.24	2.12	-0.35	-16.5	NORMAL
OSSIPEE 38	1995	34.34	0.05	-0.71	35.87	2.24	1.53	68.3	ABOVE NORMAL
SHELBURNE 2	1995	4.49	-0.19	-0.06	4.7	4.3	0.21	4.9	NORMAL
WARNER 1	1965	29.19	0.24	-1.82	30.69	3.32	1.5	45.2	ABOVE NORMAL


Source: USGS, NH DES







Highest and lowest month-end water levels are monthly extremes for the period of record Above-normal is the 75% quartile (25% of month-end water levels were higher)
Below-normal is the 25% quartile (25% of month-end water levels were lower)
Median is the 50% quartile (half of the month-end water levels were higher or lower)
Water levels after September 2003 are provisional and subject to revision.







Highest and lowest month-end water levels are monthly extremes for the period of record Above-normal is the 75% quartile (25% of month-end water levels were higher) Below-normal is the 25% quartile (25% of month-end water levels were lower) Median is the 50% quartile (half of the month-end water levels were higher or lower) Water levels after September 2003 are provisional and subject to revision.







Highest and lowest month-end water levels are monthly extremes for the period of record Above-normal is the 75% quartile (25% of month-end water levels were higher) Below-normal is the 25% quartile (25% of month-end water levels were lower) Median is the 50% quartile (half of the month-end water levels were higher or lower) Water levels after September 2003 are provisional and subject to revision.






Highest and lowest month-end water levels are monthly extremes for the period of record Above-normal is the 75% quartile (25% of month-end water levels were higher)
Below-normal is the 25% quartile (25% of month-end water levels were lower)
Median is the 50% quartile (half of the month-end water levels were higher or lower)
Water levels after September 2003 are provisional and subject to revision.





Highest and lowest month-end water levels are monthly extremes for the period of record Above-normal is the 75% quartile (25% of month-end water levels were higher) Below-normal is the 25% quartile (25% of month-end water levels were lower) Median is the 50% quartile (half of the month-end water levels were higher or lower) Water levels after September 2003 are provisional and subject to revision.



Highest and lowest month-end water levels are monthly extremes for the period of record Above-normal is the 75% quartile (25% of month-end water levels were higher)
Below-normal is the 25% quartile (25% of month-end water levels were lower)
Median is the 50% quartile (half of the month-end water levels were higher or lower)
Water levels after September 2003 are provisional and subject to revision.